


GOST TOOL HOLDERS

GOST Taper Standard

GOST 锥柄标准



Size	D	D1	D2	D3	D4	d	d1	d2	d3	L	l	I1
SK30	31.75	50	46	55.070	44	17.4	13	M12	4	68.4	3	48.4
SK40	44.45	63	58	69.340	55	25.3	17	M16	5	93.4	5	65.4
SK50	69.85	100	94	107.610	85	39.6	25	M24	6	126.8	8	101.8

Taper standard: GOST 25827-93

Material: Alloyed case hardened steel

Surface Treatment: Blackening

Taper tolerance: <AT3

Hardness: HRC 56-60

Carbon depth: 0.8±0.2mm

Surface Roughness: Ra<0.2μm

GOST TOOLING SYSTEM



GOST 工具系统

ER Collet Chuck	I.04
ER弹簧夹头刀柄	
Power Milling Chuck.....	I.05
强力铣刀柄	
Face Mill Holder	I.08
面铣刀柄	
Combi Shell Mill Holder	I.09
混合插入式铣刀柄	
End Mill Holder.....	I.10
侧固刀柄	
Morse Taper Adapter.....	I.11
带扁尾莫氏刀柄	
Morse Taper Adapter.....	I.11
带螺纹孔莫氏刀柄	
APU Drill Chuck Holder	I.12
APU钻夹头刀柄	
Quick Change Tapping Chuck.....	I.12
弹性快换攻丝刀柄	



ER Collet Chuck


ER 弹簧夹头刀柄



Size	D	D1	L	M	Capacity
SK40-ER16-70 GOST	28	28	70	M10	1-10
SK40-ER25-70 GOST	42	42	70	M18*1.5	2-16
SK40-ER32-70 GOST	40	50	70	M22*1.5	2-20
SK40-ER40-80 GOST	50	63	80	M28*1.5	3-26
SK40-ER16-100 GOST	28	28	100	M10	1-10
SK40-ER25-100 GOST	42	42	100	M18*1.5	2-16
SK40-ER32-100 GOST	40	50	100	M22*1.5	2-20
SK40-ER40-100 GOST	50	63	100	M28*1.5	3-26
SK40-ER16-160 GOST	28	28	160	M10	1-10
SK40-ER25-160 GOST	42	42	160	M18*1.5	2-16
SK40-ER32-160 GOST	40	50	160	M22*1.5	2-20
SK40-ER40-160 GOST	50	63	160	M28*1.5	3-26
SK50-ER16-80 GOST	28	28	80	M10	1-10
SK50-ER25-80 GOST	42	42	80	M18*1.5	2-16
SK50-ER32-70 GOST	50	50	70	M22*1.5	2-20
SK50-ER40-80 GOST	63	63	80	M28*1.5	3-26
SK50-ER16-100 GOST	28	28	100	M10	1-10
SK50-ER25-100 GOST	42	42	100	M18*1.5	2-16
SK50-ER32-100 GOST	50	50	100	M22*1.5	2-20
SK50-ER40-100 GOST	63	63	100	M28*1.5	3-26
SK50-ER16-160 GOST	28	28	160	M10	1-10
SK50-ER25-160 GOST	42	42	160	M18*1.5	2-16
SK50-ER32-160 GOST	50	50	160	M22*1.5	2-20
SK50-ER40-160 GOST	63	63	160	M28*1.5	3-26

Power Milling Chuck

强力铣刀柄




Size	d	D	L	L1	Capacity
SK40-HC20-85 GOST	20	50	85	73	3-16; 20
SK40-HC25-100 GOST	25	59	100	78	3-20; 25
SK40-HC32-105 GOST	32	72	105	77	3-25; 32
SK50-HC20-105 GOST	20	50	105	73	3-16; 20
SK50-HC25-105 GOST	25	59	105	78	3-20; 25
SK50-HC32-110 GOST	32	72	110	77	3-25; 32
SK50-HC42-110 GOST	42	99	110	107	3-32; 42

Power Milling Chuck 强力铣刀柄

NEW

A ↗
≤0.005


AD


Size	d	D1	L	H
SK30-CT16SA-90 GOST	16	45	90	65
SK30-CT16SA-105 GOST	16	45	105	65
SK30-CT20SA-90 GOST	20	52	90	80
SK30-CT20SA-105 GOST	20	52	105	80
SK40-CT16SA-90 GOST	20	52	75	90
SK40-CT20SA-90 GOST	20	52	90	80
SK40-CT20SA-105 GOST	20	52	105	80
SK40-CT20SA-120 GOST	20	52	120	80
SK40-CT25SA-105 GOST	25	61	105	80
SK40-CT25SA-135 GOST	25	61	135	80
SK40-CT32SA-105 GOST	32	73	105	85
SK40-CT32SA-120 GOST	32	73	120	85
SK40-CT32SA-135 GOST	32	73	135	120

BRIGHT-TOOLS

BRIGHT-TOOLS

BRIGHT-TOOLS

BRIGHT-TOOLS


Power Milling Chuck

强力铣刀柄

NEW

A ↗
≤0.005

AD






Size	d	D1	L	H
SK50-CT16SA-90 GOST	16	45	90	65
SK50-CT16SA-105 GOST	16	45	105	65
SK50-CT16SA-135 GOST	16	45	135	65
SK50-CT20SA-90 GOST	20	52	90	80
SK50-CT20SA-105 GOST	20	52	105	80
SK50-CT20SA-120 GOST	20	52	120	80
SK50-CT20SA-135 GOST	20	52	135	80
SK50-CT20SA-165 GOST	20	52	165	80
SK50-CT20SA-200 GOST	20	52	200	80
SK50-CT20SA-250 GOST	20	52	250	80
SK50-CT20SA-300 GOST	20	52	300	80
SK50-CT25SA-105 GOST	25	61	105	80
SK50-CT25SA-135 GOST	25	61	135	80
SK50-CT25SA-165 GOST	25	61	165	80
SK50-CT25SA-200 GOST	25	61	200	80
SK50-CT25SA-250 GOST	25	61	250	80
SK50-CT25SA-300 GOST	25	61	300	80
SK50-CT32SA-95 GOST	32	73	95	120
SK50-CT32SA-105 GOST	32	73	105	120
SK50-CT32SA-120 GOST	32	73	120	120
SK50-CT32SA-135 GOST	32	73	135	120
SK50-CT32SA-150 GOST	32	73	150	120
SK50-CT32SA-165 GOST	32	73	165	120
SK50-CT32SA-200 GOST	32	73	200	120
SK50-CT32SA-250 GOST	32	73	250	120
SK50-CT32SA-300 GOST	32	73	300	120

GOST


Face Mill Holder

面铣刀柄





Size	d	D	L	H	M	W
SK40-FMB16-45 GOST	16	38	45	17	M8	8
SK40-FMB22-45 GOST	22	48	45	19	M10	10
SK40-FMB27-40 GOST	27	58	40	21	M12	12
SK40-FMB32-55 GOST	32	78	55	24	M16	14
SK50-FMB16-40 GOST	16	38	40	17	M8	8
SK50-FMB22-45 GOST	22	48	45	19	M10	10
SK50-FMB27-45 GOST	27	58	45	21	M12	12
SK50-FMB32-50 GOST	32	78	50	24	M16	14

Face Mill Holder 面铣刀柄



Size	d	D	D1	L	H	M	m	W
SK40-FMB40-55 GOST	40	88	66.7	55	27	M20	M12	16
SK50-FMB40-55 GOST	40	88	66.7	55	27	M20	M12	16



Combi Shell Mill Holder 混合插入式铣刀柄



Size	d	D	H	L
SK40-SEMC16-55 GOST	16	32	17	55
SK40-SEMC22-55 GOST	22	40	19	55
SK40-SEMC27-55 GOST	27	48	21	55
SK40-SEMC32-60 GOST	32	58	24	60
SK40-SEMC40-60 GOST	40	70	27	60
SK50-SEMC16-55 GOST	16	32	17	55
SK50-SEMC22-55 GOST	22	40	19	55
SK50-SEMC27-55 GOST	27	48	21	55
SK50-SEMC32-55 GOST	32	58	24	55
SK50-SEMC40-55 GOST	40	70	27	55

End Mill Holder Weldon



侧固刀柄



Size	d	D	L	M	Screw Quantity
SK40-SLA6-50 GOST	6	25	50	M6	1
SK40-SLA8-50 GOST	8	28	50	M8	1
SK40-SLA10-50 GOST	10	35	50	M10	1
SK40-SLA12-50 GOST	12	42	50	M12	1
SK40-SLA14-50 GOST	14	44	50	M12	1
SK40-SLA16-63 GOST	16	48	63	M14	1
SK40-SLA18-63 GOST	18	50	63	M14	1
SK40-SLA20-63 GOST	20	52	63	M16	1
SK40-SLA25-100 GOST	25	65	100	M18*2	2
SK40-SLA32-100 GOST	32	72	100	M20*2	2
SK40-SLA40-120 GOST	40	80	120	M20*2	2
SK50-SLA6-63 GOST	6	25	63	M6	1
SK50-SLA8-63 GOST	8	28	63	M8	1
SK50-SLA10-63 GOST	10	35	63	M10	1
SK50-SLA12-63 GOST	12	42	63	M12	1
SK50-SLA14-63 GOST	14	44	63	M12	1
SK50-SLA16-63 GOST	16	48	63	M14	1
SK50-SLA18-63 GOST	18	50	63	M14	1
SK50-SLA20-63 GOST	20	52	63	M16	1
SK50-SLA25-80 GOST	25	65	80	M18*2	2
SK50-SLA32-100 GOST	32	72	100	M20*2	2
SK50-SLA40-100 GOST	40	80	100	M20*2	2

Morse Taper Adapter with Tang



带扁尾莫氏刀柄



Size	MT. NO.	D	L
SK40-MTA1-50 GOST	1	25	50
SK40-MTA2-50 GOST	2	32	50
SK40-MTA3-70 GOST	3	40	70
SK40-MTA4-95 GOST	4	48	95
SK50-MTA1-45 GOST	1	25	45
SK50-MTA2-60 GOST	2	32	60
SK50-MTA3-65 GOST	3	40	65
SK50-MTA4-95 GOST	4	48	95
SK50-MTA5-105 GOST	5	63	105

Morse Taper Adapter with Drawbar


带螺纹孔莫氏刀柄



Size	MT. NO.	D	L	M
SK40-MTB1-50 GOST	1	25	50	M6
SK40-MTB2-50 GOST	2	32	50	M10
SK40-MTB3-70 GOST	3	40	70	M12
SK40-MTB4-95 GOST	4	48	95	M16
SK50-MTB1-45 GOST	1	25	45	M6
SK50-MTB2-60 GOST	2	32	60	M10
SK50-MTB3-65 GOST	3	40	65	M12
SK50-MTB4-95 GOST	4	48	95	M16
SK50-MTB5-105 GOST	5	63	105	M20

APU Drill Chuck Holder


APU 钻夹头刀柄



Size	D	L	Capacity
SK40-APU13-100 GOST	50	100	1-13
SK40-APU16-110 GOST	54.5	110	3-16
SK50-APU13-100 GOST	50	100	1-13
SK50-APU16-100 GOST	54.5	100	3-16

Quick Change Tapping Chuck with Length Compensation

弹性快换攻丝刀柄



Size	D	d	L	T	C
SK40-TC312-59 GOST	36	19	59	7.5	7.5
SK40-TC820-97 GOST	54	31	97	12.5	12.5
SK40-TC1433-156 GOST	78	48	156	22	22
SK50-TC312-63 GOST	36	19	63	7.5	7.5
SK50-TC820-97 GOST	54	31	97	12.5	12.5
SK50-TC1433-140 GOST	78	48	140	22	22