

TOOL HOLDERS

NT

BRIGHT-TOOLS

BRIGHT-TOOLS

BRIGHT-TOOLS

BRIGHT-TOOLS

BRIGHT-TOOLS



BRIGHT-TOOLS

BRIGHT-TOOLS

BRIGHT-TOOLS

NT Taper Standard

NT 锥柄标准



Size	D	d1	d2	d3	a	l1	l2	l3	l4	l5	T
NT30	50	31.75	16.1	17.11	1.6	68.4	48.4	3	24	8	M12
NT40 OTT	63	44.45	16.1	25	1.6	93.4	65.4	5	32	10	M16
NT50 OTT	97.5	69.85	25.7	39.29	3.2	126.8	101.8	8	47	12	M24

Taper standard: DIN 2080

Material: Alloyed case hardened steel

Surface Treatment: Blackening and Bright

Taper tolerance: <AT3

Hardness: HRC 56-60

Carbon depth: 0.8±0.2mm

Surface Roughness: Ra<0.2µm

NT TOOLING SYSTEM

NT 工具系统



ER Collet Chuck.....	H.04
ER弹簧夹头刀柄	
Power Milling Chuck.....	H.05
强力铣刀柄	
OZ Collet Chuck.....	H.05
OZ夹头刀柄	
Face Mill Holder	H.06
面铣刀柄	
Combi Shell Mill Holder.....	H.07
混合插入式铣刀柄	
End Mill Holder.....	H.08
侧固刀柄	
Morse Taper Adapter.....	H.09
带扁尾莫氏刀柄	
Morse Taper Adapter	H.10
带螺纹孔莫氏刀柄	
Tool Holder Adapter Sleeve	H.10
转换刀柄	
Drill Chuck Adapter.....	H.11
钻接杆	
APU Drill Chuck Holder	H.11
APU钻夹头刀柄	
Quick Change Tapping Chuck	H.12
弹性快换攻丝刀柄	



NT

ER Collet Chuck



ER 弹簧夹头刀柄



Size	D	D1	L	M	Capacity
NT30-ER16-50	28	28	50	M10	1-10
NT30-ER20-50	25	34	50	M14*1.5	1-13
NT30-ER25-50	32	42	50	M18*1.5	2-16
NT30-ER32-50	40	50	50	M14*1.5	2-20
NT30-ER40-80	50	63	80	M18*1.5	4-26
NT40-ER16-50 OTT	28	28	50	M10	1-10
NT40-ER20-50 OTT	34	34	50	M14*1.5	1-13
NT40-ER25-50 OTT	42	42	50	M18*1.5	1-13
NT40-ER32-50 OTT	40	50	50	M22*1.5	3-20
NT40-ER40-80 OTT	50	63	80	M28*1.5	4-26
NT50-ER25-60 OTT	42	42	60	M18*1.5	1-13
NT50-ER32-70 OTT	50	50	70	M22*1.5	1-20
NT50-ER40-80 OTT	63	63	80	M28*1.5	2-26
NT50-ER50-90 OTT	64	78	90	M36*1.5	6-34

ER Collet Chuck with Mini Nut


ER 弹簧夹头刀柄



Size	D	D1	L	M	Capacity
NT30-ER16M-70	22	22	70	M10	1-10
NT30-ER20M-70	24	28	70	M14*1.5	1-13
NT30-ER25M-70	30	35	70	M18*1.5	2-16
NT40-ER16M-60 OTT	22	22	60	M10	1-10
NT40-ER20M-60 OTT	28	28	60	M14*1.5	1-13
NT40-ER25M-60 OTT	35	35	60	M18*1.5	2-16

Power Milling Chuck


强力铣刀柄



Size	d	D	L	L1	Capacity	M
NT40-HC25-105 OTT	25	59	105	78	3-20; 25	M16
NT40-HC32-105 OTT	32	72	105	77	3-25; 32	M16
NT50-HC32-110 OTT	32	72	110	77	3-25; 32	M24
NT50-HC42-120 OTT	42	99	120	107	3-32; 42	M24

OZ Collet Chuck



OZ 夹头刀柄



Size	D	L	Capacity
NT30-OZ16-50	43	50	2-16
NT30-OZ25-70	60	70	3-25
NT40-OZ16-70 OTT	43	70	2-16
NT40-OZ25-70 OTT	60	70	3-25
NT40-OZ32-80 OTT	72	80	6-32
NT50-OZ25-70 OTT	60	70	3-25
NT50-OZ32-80 OTT	72	80	6-32

Face Mill Holder



面铣刀柄



Size	d	D	L	H	M	W
NT30-FMB16-30	16	38	30	17	M8	8
NT30-FMB22-30	22	48	30	19	M10	10
NT30-FMB27-45	27	58	45	21	M12	12
NT30-FMB32-50	32	78	50	24	M16	14
NT40-FMB16-30 OTT	16	38	30	17	M8	8
NT40-FMB22-30 OTT	22	48	30	19	M10	10
NT40-FMB27-30 OTT	27	58	30	21	M12	12
NT40-FMB32-30 OTT	32	78	30	24	M16	14
NT50-FMB16-30 OTT	16	38	30	17	M8	8
NT50-FMB22-35 OTT	22	48	35	19	M10	10
NT50-FMB27-35 OTT	27	58	35	21	M12	12
NT50-FMB32-40 OTT	32	78	40	24	M16	14



Face Mill Holder

面铣刀柄



Size	d	D	D1	L	H	M	m	W
NT40-FMB40-30 OTT	40	88	66.7	30	27	M20	M12	16
NT50-FMB40-40 OTT	40	88	66.7	40	27	M20	M12	16

Combi Shell Mill Holder 混合插入式铣刀柄





Size	d	D	L	H
NT30-SEMC16-35	16	32	35	17
NT30-SEMC22-35	22	40	35	19
NT30-SEMC27-35	27	48	35	21
NT30-SEMC32-50	32	58	50	24
NT40-SEMC16-52 OTT	16	32	52	17
NT40-SEMC22-52 OTT	22	40	52	19
NT40-SEMC27-52 OTT	27	48	52	21
NT40-SEMC32-52 OTT	32	58	52	24
NT40-SEMC40-52 OTT	40	70	52	27
NT50-SEMC16-55 OTT	16	32	55	17
NT50-SEMC22-55 OTT	22	40	55	19
NT50-SEMC27-55 OTT	27	48	55	21
NT50-SEMC32-55 OTT	32	58	55	24
NT50-SEMC40-55 OTT	40	70	55	27

NT

End Mill Holder Weldon



侧固刀柄



Size	d	D	L	M	Screw Quantity
NT30-SLA06-40	6	25	40	M6	1
NT30-SLA08-40	8	28	40	M8	1
NT30-SLA10-40	10	35	40	M10	1
NT30-SLA12-40	12	42	40	M12	1
NT30-SLA16-50	16	48	50	M14	1
NT30-SLA18-50	18	50	50	M14	1
NT30-SLA20-63	20	52	63	M16	1
NT40-SLA06-50 OTT	6	25	50	M6	1
NT40-SLA08-50 OTT	8	28	50	M8	1
NT40-SLA10-50 OTT	10	35	50	M10	1
NT40-SLA12-50 OTT	12	42	50	M12	1
NT40-SLA14-50 OTT	14	44	50	M12	1
NT40-SLA16-63 OTT	16	48	63	M14	1
NT40-SLA18-63 OTT	18	50	63	M14	1
NT40-SLA20-63 OTT	20	52	63	M16	1
NT40-SLA25-80 OTT	25	65	80	M18*2	2
NT40-SLA32-80 OTT	32	72	80	M20*2	2
NT40-SLA40-90 OTT	40	80	90	M20*2	2
NT50-SLA06-63 OTT	6	25	63	M6	1
NT50-SLA08-63 OTT	8	28	63	M8	1
NT50-SLA10-63 OTT	10	35	63	M10	1
NT50-SLA12-63 OTT	12	42	63	M12	1
NT50-SLA14-63 OTT	14	44	63	M12	1
NT50-SLA16-63 OTT	16	48	63	M14	1
NT50-SLA18-63 OTT	18	50	63	M14	1
NT50-SLA20-63 OTT	20	52	63	M16	1
NT50-SLA25-80 OTT	25	65	80	M18*2	2
NT50-SLA32-80 OTT	32	72	80	M20*2	2
NT50-SLA40-90 OTT	40	80	90	M20*2	2

Morse Taper Adapter with Tang



带扁尾莫氏刀柄



Size	MT.No.	L	D
NT30-MTA1-50	1	50	25
NT30-MTA2-50	2	50	32
NT30-MTA3-75	3	75	40
NT40-MTA1-50 OTT	1	50	25
NT40-MTA2-50 OTT	2	50	32
NT40-MTA3-65 OTT	3	65	40
NT40-MTA4-95 OTT	4	95	48
NT50-MTA1-45 OTT	1	45	25
NT50-MTA2-60 OTT	2	60	32
NT50-MTA3-65 OTT	3	65	40
NT50-MTA4-70 OTT	4	70	48
NT50-MTA5-105 OTT	5	105	63

Morse Taper Adapter with Drawbar


带螺纹孔莫氏刀柄



Size	MT.No.	L	D	M
NT30-MTB1-45	1	45	25	M6
NT30-MTB2-60	2	60	32	M10
NT30-MTB3-70	3	70	40	M12
NT40-MTB1-50 OTT	1	50	25	M6
NT40-MTB2-50 OTT	2	50	32	M10
NT40-MTB3-65 OTT	3	65	40	M12
NT40-MTB4-95 OTT	4	95	48	M16
NT50-MTB1-60 OTT	1	60	25	M6
NT50-MTB2-60 OTT	2	60	32	M10
NT50-MTB3-65 OTT	3	65	40	M12
NT50-MTB4-65 OTT	4	65	48	M16
NT50-MTB5-120 OTT	5	120	63	M20



Tool Holder Adapter Sleeve

转换刀柄




Size	D	L
NT40-NT30-50 OTT	51	50
NT40-NT40-100 OTT	63	100
NT50-NT40-50 OTT	70	50
NT50-NT50-125 OTT	97	125

Drill Chuck Adapter 钻接杆



Size	D	L	L1
NT30-B12-15	B12	15	18.5
NT30-B16-17	B16	17	24
NT40-B12-18 OTT	B12	18	18.5
NT40-B16-18 OTT	B16	18	24
NT40-B18-18 OTT	B18	18	32
NT50-B16-20 OTT	B16	20	24
NT50-B18-20 OTT	B18	20	32


APU Drill Chuck Holder APU 钻夹头刀柄



Size	D	L	Capacity
NT30-APU08-80	37	80	1-8
NT30-APU13-100	50	100	1-13
NT40-APU08-85 OTT	37	85	1-8
NT40-APU13-110 OTT	50	110	1-13
NT40-APU16-105 OTT	54.5	105	3-16
NT50-APU08-95 OTT	37	90	1-8
NT50-APU13-100 OTT	50	100	1-13
NT50-APU16-110 OTT	54.5	110	3-16

Quick Change Tapping Chuck with Length Compensation

弹性快换攻丝刀柄



Size	d	D	L	T	C
NT30-TC312-55	19	36	55	7.5	7.5
NT30-TC820-86	31	54	86	12.5	12.5
NT40-TC312-55 OTT	19	36	55	7.5	7.5
NT40-TC820-86 OTT	31	54	86	12.5	12.5
NT40-TC1433-132 OTT	48	78	132	22	22
NT50-TC312-62 OTT	19	36	62	7.5	7.5
NT50-TC820-90 OTT	31	54	90	12.5	12.5
NT50-TC1433-117 OTT	48	78	117	22	22